

<u> THE UNITED SHAYES OF AMERICA</u>

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Knzn Znden Neheer A.H.

MICCONS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE CHIT TO EXCLUDE OTHERS FROM SELLING THE VARIETY OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR TING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE REPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

LETTUCE

'Lettony'

In Testimone Therest, I have hereunto set my hand and caused the seal of the Hant Harrista Harrista Pariety of Uashington, D.C. this seventh day of Tebruary, the year two thousand and eight.

Atlast

Q2~3~

Commissioner Plant Variety Protection Offico Agricultural Marketing Service Source any of Agriculture

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE

The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE (Instructions and Information collection burden statement on reverse)				(7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).						
1. NAME OF OWNER				EMPORARY DESIGNATION OR	3. VAI	RIETY NAM	iE			
ENZA ZADEN BEHEER	€ B.V.	•	1	E15.0145 LETTONY						
4. ADDRESS (Street and No., or R.F.D. No., City,	State, and ZIP Cod	de, and Country)		5. TELEPHONE (include area code) FOR OFFICIAL USE ONLY						
PO BOX 7, 1600 AA ENK	HUIZEN		+31.	. 228. 315. 844		NUMBER	Λ ¬	^	Λ <i>4</i>	A E
HALING 15, 1602 DB ENKH	IVIZEN		6. FA	XX (include area code)	#	Z V	U /	U	U	6 5
THE NETHERLANDS			+31	1.228,315.854	FILING	3 DATE				
7. IF THE OWNER NAMED IS NOT A "PERSON", ORGANIZATION (corporation, partnership, association)		8. IF INCORPORATED, GIVE STATE OF INCORPORATION	9. D/	ATE OF INCORPORATION] 	· ~ ~			· ¬ /	` '
CORPORATION	oction, co.y	NOORD-HOLLAND		1938	FE	BK)AR'	1 C	_ 1, 0	2007
10. NAME AND ADDRESS OF OWNER REPRESE	NTATIVE(S) TO S	SERVE IN THIS APPLICATION. (First)	person lis	sted will receive all papers)	F E E	1	AND EXA			
ENZA ZADEN RESEARCH U					s	\$ 4	, 38,			,
ENZA ZAVEN RESCAROS	Maria	PERTUNIARD			R E C	DATE	CATION F	2.7	10	/
ATTN: AERNOUDT AARDSE, MONIA SKRSYNIARZ					E I	s 7				
PO BOX 866		•			V E	DATE	· .	_ 1	_ />	
SAN JUAN BAUTISTA, CA 9.	5045	:			ā	DATE	1 6	18/	08	
11. TELEPHONE (Include area code)	12. FAX (Includ		. 1	13. E-MAIL					***************************************	
831-623-4644	831-623			18. DOES THE VARIETY CONT.	A IAI A ARV T	PANICCE	E02/007	CONAL		
14. CROP KIND (Common Name)]		1	× .	MIN AINT	MINOUE	1231 (01-1	1011111	!	
LETTUCE		SITAE		YES X NO	SSIGNE) USDA-AP	HIS REFE	RENCE	NUMBER	R FOR THE
15. GENUS AND SPECIES NAME OF CROP		RIETY A FIRST GENERATION HYBRII	ID?	APPROVED PETITION TO	DEREGU	LATE THE	GENETIC/	ALLY MO	ODIFIED	PLANT FOR
LACTULA CATIVA L.	☐ YES		N	COMMERICALIZATION						
 CHECK APPROPRIATE BOX FOR EACH ATT/ (Follow instructions on reverse) 	ACHMENT SUBMI	TTED	2	20. DOES THE OWNER SPECIF OF CERTIFIED SEED? (Se	Y THAT S e Section	SEED OF T 83(a) of the	HIS VARIE Plant Van	TY BE : iety Prof	sold As tection Ac	A CLASS)
a. 🔽 Exhibit A. Origin and Breeding History	of the Variety		L	☐ YES (If "yes", answer					"no", go to	
b. 🔀 Exhibit B. Statement of Distinctness			2	21. DOES THE OWNER SPECIF NUMBER OF CLASSES?	YTHAIS	SEED OF II	HIS VARIE	.IYBEI	LIMITED	45 10
c. 🔀 Exhibit C. Objective Description of Var	iety		- 1	☐ YES ☐ NO		••				- '
d. 🔀 Exhibit D. Additional Description of the	Variety (Optional)	· ·		IF YES, WHICH CLASSES?	☐ FOU	NDATION	☐ REG	ISTERE	:D 🗆 C	ERTIFIED
e. Z Exhibit E. Statement of the Basis of the	e Owner's Owners	hip	2	 DOES THE OWNER SPECIF NUMBER OF GENERATION 	Y THAT S IS?	SEED OF T	HIS VARIE	TY BE I	LIMITED	AS TO
f. 🔀 Exhibit F. Declaration Regarding Depo	sit			☐ YES ☐ NO						
g. Voucher Sample (3,000 viable untreate that tissue culture will be deposited and				IF YES, SPECIFY THE NUMBER	3ER 1,2,3	, etc. FOR	EACH CL	ASS.		
g. Filing and Examination Fee (\$4,382), in States" (Mail to the Plant Variety Protect		reasurer of the United	-	FOUNDATION RI					d on the r	everse.)
23. HAS THE VARIETY (INCLUDING ANY HARVES FROM THIS VARIETY BEEN SOLD, DISPOSEI OTHER COUNTRIES?	STED MATERIAL) D OF, TRANSFER	OR A HYBRID PRODUCED RED, OR USED IN THE U. S. OR	2	24. IS THE VARIETY OR ANY CO INTELLECTUAL PROPERTY	OMPONE (RIGHT (NT OF THE PLANT BR	VARIETY EEDER'S I	PROTE RIGHT (CTED BY	(VI)?
X YES D NO				X YES □ NO						
IF YES, YOU MUST PROVIDE THE DATE OF FOR EACH COUNTRY AND THE CIRCUMSTA	FIRST SALE, DISI ANCES. (Please u	POSITION, TRANSFER, OR USE space indicated on reverse.)		IF YES, PLEASE GIVE COUN REFERENCE NUMBER. (Ple	ITRY, DAT	TE OF FILIN pace Indica	NG OR ISS	UANCE	E AND AS	SIGNED

The owners declare that a viable sample of basic seed of the variety has been furnished with application and will be replenished upon request in accordance with such regulations as may be applicable, or for a tuber propagated variety a tissue culture will be deposited in a public repository and maintained for the duration of the certificate.

The undersigned owner(s) is(are) the owner of this sexually reproduced or tuber propagated plant variety, and believe(s) that the variety is new, distinct, uniform, and stable as required in Section 42, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act.

Owner(s) le (are) informed that talse representation herein can jeopardize protection and result in penalties.

SIGNATURE GEOWNER	wint.	SIGNATURE OF OWNER		
NAME (Please print or type) V. J. M. CATAB	ANC	NAME (Please print or type)		
CAPACITY OR TITLE L'RECTUR RSD	DATE 02/26/2007	CAPACITY OR TITLE	DATE	

GENERAL INSTRUCTIONS: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E, F; (3) for a tuber reproduced variety, verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; and (4) payment by credit card or check drawn on a U.S. bank for \$4,382 (\$518 filling fee and \$3,864 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice). NEW: With the application for a seed reproduced variety or by direct deposit soon after filling, the applicant must provide at least 3,000 viable untreated seeds of the variety per se, and for a hybrid variety at least 3,000 untreated seeds of each line necessary to reproduce the variety. Partial applications will be held in the PVPO for not more than 90 days; then returned to the applicant as un-filed. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a payment by credit card or check payable to "Treasurer of the United States" in the amount of \$768 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. The fees for filing a change of address; owner's representative; ownership or assignment; or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

Plant Variety Protection Office

Telephone: (301) 504-5518 FAX: (301) 504-5291

General E-mail: PVPOmail@usda.gov

Homepage: http://www.ams.usda.gov/science/pvpo/PVPindex.htm

#200700165

SPECIFIC INSTRUCTIONS:

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority and **provide evidence** that the permanent name of the application variety (even if it is a parental, inbred line) has been cleared by the appropriate recognized authority before the Certificate of Protection is issued. For example, for agricultural and vegetable crops, contact: U.S. Department of Agriculture, Agricultural Marketing Service, Livestock and Seed Programs, **Seed Regulatory and Testing Branch**, 801 Summit Crossing Place, Suite C, Gastonia, North Carolina 28054-2193 Telephone: (704) 810-8870. http://www.ams.usda.gov/lsg/seed.htm.

ITEM

19a. Give:

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 19b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach replicated statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 19c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 19d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 19e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 20. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 23. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 24. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 22. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 23. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

SEE ADDENDUM

24. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

SEE ADDENDUM

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individual's income is derived from any public assistance program (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braitle, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Addendum Form Application for Plant Variety Protection Certificate **Lettuce: Lettony**

Ad Paragraph 23: Dates of first sale & countries of lettuce variety Lettony

France

December, 2005

Australia

December, 2005

Sweden

March, 2006

Germany

March, 2006

Italy

September, 2006

United Kingdom

November, 2006

USA

March 3, 2006

Ad Paragraph 24: Registration & IPR info of lettuce variety Lettony and components

Lettony (Enza Zaden)

: EU B list

appl. #15639, 30 September 2004

: US Patent

#6,903,249, June 7 2005

Two Star (Orsetti Seed Co.) : US PVP

#9200270, April 30 1993

Lucress (Vilmorin)

: Euro A list

appl.#1999/0002, 24 December 1998

reg.#05663, 20 December 1999

Vanity (Enza Zaden)

: EU B list

appl.#7005, 12 November 1990

reg.#26884, 4 February 1992

Orly (Enza Zaden)

: EU B list

appl.#9710, 22 November 1995

reg.#26699, 18 October 1996

Igoma (Enza Zaden)

: EU B list

appl.#13468, 1 October 2001

reg.#26544, 25 March 2004

: EU A list

appl.#2002/0672, 2 May 2002

reg.#15169, 18 April 2005

Exhibit A - Origin and Breeding History

Lettuce variety: LETTONY

Origin

The objective of this cross was to develop a green leaf variety for baby leaf resistant to *Bremia lactucae* races Bl: 1-25.

LETTONY is derived from a cross made in August 2001 between the green leaf 'Two-Star', and a Batavia line F32440.

The batavia line F32440 is derived from successive backcrosses of a sister line of the Iceberg variety 'Igoma' by the Iceberg 'Orly', the Batavia 'Vanity' and the Batavia 'Lucress'. F32440 contains a resistance gene providing the resistance to European *Bremia lactucae* races Bl: 1-25, originating from the sister line of the variety 'Igoma'. LETTONY (experimental code E15.0145) is a green leaf used for baby leaf production, for year round harvests, resistant to European *Bremia lactucae* races Bl: 1-25.

LETTONY is white seeded.

The pedigree method of plant breeding using single plant and mass selection was employed to develop this variety

Breeding Stages

- F1: August 2001: the cross was made between 'Two-Star' and the batavia line F32440.

 October 2001: seeds from this cross were sown and 10 plants transplanted for multiplication in a greenhouse at Enza Holland facilities –Enkhuizen. Those plants were harvested in bulk in April 2002 under the F2 line number 164.
- F2: Seeds of the **F2 line 164** were sown in peat blocks in early may 2002 and, after evaluation of the young plants in the trays, transplanted in a selection field in the Enza France facilities in Allonnes (France) end of may 2002. A single plant selection of 8 green leaf-like plants was made in **July 2002**. Selected plants were transferred in a plastic tunnel glasshouse in Enza France facilities (Allonnes) for seed multiplication. Bioassays from leaf discs of those plants were tested for resistance to *Bremia* races Bl: 18 and Bl: 24. Five (5) plants were resistant, and seeds of them were harvested individually in December 2002, providing seeds of the F3 generation.
- F3: Seeds of those F3 lines were sown in peat blocks in may 2003 in Enza France facilities in Allonnes (France). Those lines were evaluated and selected at young stage (just before transplantation stage) in **June 2003**.
 - F3 line 0330724 showed the most interesting leaf texture, shape and colour for baby leaf purpose. A single plant selection of 5 plants was made in this F3. Selected plants were transferred in a heated greenhouse for seed multiplication in Enza France facilities Allonnes (France). Bioassays from leaf discs of those plants were tested for resistance to *Bremia* race Bl: 18. Three (3) of them were resistant. Seeds of those plants were harvested individually, in November 2003, providing seeds of the F4 generation.
- F4: Seeds of the (3) resistant F4 lines were sown in peat blocks during January 2004 at the Enza France facilities in Allonnes (France). Those lines were evaluated both at young plant stage in **March 2004**, and at full mature stage end of April 2004.
 - **F4 line 0340145** showed the most interesting leaf texture, shape and uniformity. This line has been tested for Bremia races Bl: 18 and Bl: 24 and was uniformly resistant. This line was coded as the **new experimental variety E15.0145**. Eight (8) plants were selected in this F4, and transferred in a non heated plastic greenhouse for seed multiplication. Seeds of those plants were harvested in July 2004, providing seeds of the F5 generation.
- F5: Each F5 lot has been used for a pre-commercial seed production in Griffith (New South Wales, Australia), sown in September 2004 and harvested in March 2005.
- F6: From the most uniform F6 seed lot, a new commercial production has been sown in March 2005 and harvested in October 2005.

Exhibit A – Origin and Breeding History (continued)

Lettuce variety: LETTONY

European registration of the variety E15.0145 was filed at Naktuinbouw in Holland, September 30, 2004 an assigned the application #15639. The name of 'LETTONY' was proposed for the experimental number E15.0145.

LETTONY has been evaluated in extensive trials in lettuce baby leaf growing areas in Europe, California and Arizona.

The variety is stable and uniform in type and resistance since 2004. No variants have been observed in our selection and seed production fields.

revised

Exhibit B - Statement of Distinctiveness

Lettuce variety: LETTONY

Lettony is a white seeded, non-heading green leaf lettuce specially developed for year-round baby leaf production.

Lettony is most similar to commercial lettuce varieties Tropicana and Bergam's Green, however, there are a number of differences:

- Lettony is resistant to California *Bremia lactucae* races CAVII and CAVIII while Tropicana and Bergams Green are susceptible to races CAVII and CAVIII.
- Lettony is white seeded while Tropicana and Bergams Green are both black seeded.

Lettony resembles the green color 144A of the RHS color chart.

Exhbit D - Lettony Scoring Downy Mildew (*Bremia Lactucae*)

Leaf disk test Bremia Lactucae, CA VII isolate

3 leaf samples per plant, inoculation: 11/10/2006, final reading: 11/21/2006

Culitvar	total # plants	+	-	Result
Lettony - rep 1	12	0	12	resistant
Lettony - rep 2	12	0	12	resistant
Tropicana - rep 1	12	12	0	susceptible
Tropicana - rep 2	12	12	0	susceptible
Bergam's Green - rep 1	12	12	0	susceptible
Bergam's Green - rep 2	12	12	0	resistant

⁻ no sporulation, + sporulation

Seedling test Bremia Lactucae, CA VII isolate

inoculation: 12/5/06 ,final reading: 12/20/06

Cultivar	tot # plants	+	-	Result
Lettony (rep 1)	16	0	16	resistant
Lettony (rep 2)	16	0	16	resistant
Lettony (rep 3)	16 [°]	-0	16	resistant
North Star (rep 1)	12	12	0	susceptible
North Star (rep 2)	15	15	0	susceptible
Two Star (rep 1)	14	12	2	susceptible
Two Star (rep 2)	14	14	0	susceptible
Bergam's Green (rep 1)	14	13	1	susceptible
Bergam's Green (rep 2)	16	16	0	susceptible
Tropicana (rep 1)	13	13	0	susceptible
Tropicana (rep 2)	15	15	0	susceptible
Lucress (rep 1)	12	. 0	12	resistant
Lucress (rep 2)	10	0	10	resistant
Vanity (rep 1)	16	16	0	susceptible
Vanity (rep 2)	15	15	0	susceptible
Orly (rep 1)	16	16	0	susceptible
Orly (rep 2)	16	16	0	susceptible
Igoma (rep 1)	16	2	14	resistant
Igoma (rep 2)	16	0	16	resistant

⁻ no sporulation, + sporulation

Seedling test Bremia Lactucae, CA VIII isolate

inoculation: 1/30/07, final reading: 2/7/06

Cultivar	tot # plants	+	-	Result
Lettony (rep 1)	16	0	16	resistant
Lettony (rep 2)	16	0	16	resistant
Lettony (rep 3)	16	0	16	resistant
North Star (rep 1)	15	15	0	susceptible
North Star (rep 2)	15	15	0	susceptible
Two Star (rep 1)	15	15	0	susceptible
Two Star (rep 2)	16	16	0	susceptible
Bergam's Green (rep 1)	15	15	0	susceptible
Bergam's Green (rep 2)	16	16	. 0	susceptible
Tropicana (rep 1)	15	15	0	susceptible
Tropicana (rep 2)	15	15	0	susceptible
Lucress (rep 1)	12	0	12	resistant
Lucress (rep 2)	8	0	8	resistant
Vanity (rep 1)	16	16		susceptible
Vanity (rep 2)	15	15	0	susceptible
Orly (rep 1)	16	16	0	susceptible
Orly (rep 2)	16	16	0	susceptible
lgoma (rep 1)	15	1	14	resistant
Igoma (rep 2)	16	-0	16	resistant

⁻ no sporulation, + sporulation

Exhbit D - Lettony (continue) Scoring Downy Mildew (*Bremia Lactucae*)

Additions

Seedling test Bremia Lactucae, CA VII isolate; Enza Zaden, San Juan Bautista, CA

inoculation: 9/4/07, final reading: 9/12/07

, , , , , , , , , , , , , , , , , , , ,								
Cultivar	tot # plants	+	-	Result				
Lettony	15	0	15	resistant				
Bergam's Green	12	10	2	susceptible				
Tropicana	13	13	0	susceptible				

⁻ no sporulation, + sporulation

Seedling test Bremia Lactucae, CA VIII isolate; Enza Zaden, San Juan Bautista, CA

inoculation: 9/4/07, final reading: 9/12/07

Cultivar	Cultivar tot # plants + - Result								
Lettony	14	0	14	resistant					
Bergam's Green	14	14	0	susceptible					
Tropicana	15	15	0	susceptible					

⁻ no sporulation, + sporulation

REPRODUCE LOCALLY. Include form number and date on all reproductions.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

U.S. DEPARTMENT OF AGRICULTURE **AGRICULTURAL MARKETING SERVICE** SCIENCE AND TECHNOLOGY **PLANT VARIETY PROTECTION OFFICE** BELTSVILLE, MD 20705

Exhibit C

OBJECTIVE DESCRIPTION OF VARIETY Lettuce (Lactuca sativa L.)

NAME OF APPLICANT (S)	TEMPORARY OR EXPERIMENTAL DESIGNATION	VARIETY NAME
ENZA ZADEN BEHEER B.V.	E15.0145	LETTONY
ADDRESS (Street and No. or RD No., City, State, Zip Code, and Country)		FOR OFFICIAL USE ONLY
PO BOX 7, 1600 AA ENKHUREN, NE	THERLANDS	PVPO NUMBER
HALING IE, 1602 DB ENRHUIZEN, NET	CHERLANDS	#20070016
Place the appropriate number that describes the varietal of	haracter in the boxes below. Place a zero in the fin	st box (e.g. 0 9 9 or 0 9) when number
is either 99 or less or 9 or less. Measured data should be	the mean of an appropriate number (at least 20) of v	well space plants. Royal Horticultural Society or any
recognized color standard may be used to determine plant		
The Location of the Test Area is: SAN JUAN BAUTIST	Color System Used:	RHS 144A
SPECIFIC VARIETIES USED FOR COMPARISON AS CH your area. One of the comparison varieties must be the m		ndard regional check varieties, which are adapted to
Application Variety (a1) LETTONY	Most Similar Variety (c1) TROI	PICANA
Standard Regional Check Variety (c2) BERG-AM	'S GREEN	
PLANT TYPE: (See List of Suggested Check Varieties	on Page 8)	
01 = Cutting/Leaf 04 = Cos or Roma 02 = Butterhead 05 = Great Lakes 03 = Bibb 06 = Vanguard Gr	Group 08 = Eastern (Ithaca) Group 11 = Oth	in er (Specify)
(a1) 0 1	(c1) 0 1 (c2)	0 1
2. SEED: (a1)	LIGHT DORMANCY (a1) 1 = Light Required 2 = Light Not Required (c1) (c2)	HEAT DORMANCY 1 = Susceptible 2 = Not Susceptible
3. COTYLEDON TO FOURTH LEAF STAGE: NOTE: Pro- conditions.		af from 20 day-old seedling grown under optimal
SHAPE OF COTYLEDONS: 1 = Broad (a1)	2 = Intermediate 3 = Spatulate (c1) 2	₂₂₎
SHAPE OF FOURTH LEAF: (a1)		2) 4

3. COTYLEDON TO FOURTH LEAF STAGE: (continued)













1. Transverse oval

2. Round

3. Oval

4. Elongated

5. Lanceolate

6. Pinnately lobed

LENGTH/WIDTH INDEX OF FOURTH LEAF: L/W x 10

APICAL MARGIN:

1 = Entire

4 = Moderately Dentate

7 = Lobed

2 = Crenate/Gnawed 3 = Finely Dentate

5 = Coarsely Dentate

8 = Other (Specify)

(a1)

4 (a1)

(c1)

BASAL MARGIN: (Use the options for Apical Margin above)

(a1)

(c1)

UNDULATION:

2 = Slight

3 = Medium

6 = Incised

4 = Marked

(c1)

3

GREEN COLOR:

1 = Yellow Green

3 = Medium Green

5 = Blue Green

7 = Grey Green

2 = Light Green

4 = Dark Green

6 = Silver Green

(a1)

3

3 (c1)

3 (c2)

ANTHOCYANIN:

DISTRIBUTION:

1 = Absent 2 = Margin Only 3 = Spotted 4 = Throughout

5 = Other (Specify)

(c1)

1

CONCENTRATION:

1 = Light

2 = Moderate

3 = Intense

(a1)

(a1)

(a1)

(a1)

(a1)

(c1)

ROLLING:

2 = Present

(c2)

1 = Absent

1 = Uncupped

(c1)

(c2)

CUPPING:

2 = Slight

3 = Markedly

(c2)

2 = Apical Margin

3 = Lateral Margins

1

REFLEXING:

1 = None

(c2)

(¢1)

4. MATURE LEAVES (Observe Harvest-Mature Outer Leaves)

NOTE: Provide color photo of a harvest-mature leaf which accurately shows color and margin characteristics.

MARGIN:

INCISION DEPTH: 1 = Absent/Shallow (Dark Green Boston) 2 = Moderate (Vanguard) 3 = Deep (Great Lakes 659) (deepest penetration. of the margin) 2 2 2 (a1)(c1) INDENTATION: (Finest divisions of the margin) 1 = Entire (Dark Green Boston) 4 = Crenate (Vanguard) 2 = Shallowly Dentate (Great Lakes 65) 5 = Other (Specify) 3 = Deeply Dentate (Great Lakes 659) 3 3 3 (a1) (c2)(c1)**UNDULATIONS OF THE** 1 = Absent/Slight (Dark Green Boston) 2 = Moderate (Vanguard) APICAL MARGIN: 3 = Strong (Great Lakes 659) 3 3 3 (a1) (c1)(c2)GREEN COLOR: 1 = Very Light Green (Bibb) 3 = Medium Green (Great Lakes) 5 = Very Dark Green 4 = Dark Green (Vanguard) 2 = Light Green (Minetto) 6 = Other (Specify) 3 3 (a1)(c1) (c2)ANTHOCYANIN: DISTRIBUTION: 1 = Absent 3 = Spotted (California Cream Butter) 5 = Other (Specify) 2 = Margin Only (Big Boston) 4 = Throughout (Prize Head) (a1)(c1)(c2)CONCENTRATION: 1 = Light (Iceberg) 2 = Moderate (Prize Head) 3 = Intense (Ruby) (a1) (c1) (c2)SIZE 1 = Small 2= Medium 3 = Large 3 2 2 (a1) (c1) (c2)1 = Dull (Vanguard) **GLOSSINESS:** 2 = Moderate (Salinas) 3 = Glossy (Great Lakes) 3 3 3 (a1)(c1)(c2)BLISTERING: 1 = Absent/Slight 2 = Moderate 3 = Strong(Salinas) (Vanguard) (Prize Head) 2 2 (c2) (a1) (c1) **LEAF THICKNESS:** 1 = Thin 2 = Intermediate 3 = Thick 2 2 (a1) (c1)(c2)

TRICHOMES:

1 = Absent (Smooth)

2 = Present (Spiny)

5. PLANT:

SPREAD OF FRAME LEAVES:

2

#200700165

5. PLANT: (continued)							-
HEAD DIAMETER: (Market Trimme	ed with Single Cap Ł	.eaf)					
	(a1)	4 3 cm	(c1)	3 7 cm	(c2)	3 6 cm	•
HEAD SHAPE:	1 = Flattened 2 = Slightly Flat	3 = Spher itened 4 = Elong		5 = Non-Heading			
6 = Other (Specify)	2 - Siightiy Flat		ale				
	(a1)	5	(c1)	5	(c2)	5	
HEAD SIZE CLASS:	1 = Small (a1)	2 = Mediu	m (c1)	3= Large	(c2)	2	
HEAD PER CARTON:	<u>(</u> a1)	24	(c1)	24	(c2)	24	
HEAD WEIGHT:	(a1)	554	g. (c1)	321	g. (c2)	294	g.
HEAD FIRMNESS:	1 = Loose (a1)	2 = Moderate	(c1)	3= Firm	(c2)	= Very Firm	
6. BUTT:							
SHAPE:	1 = Slightly Con (a1)	cave 2 = F	lat 3 (c1)	Rounded	(c2)	1	
MIDRIB:	1 = Flattened (S (a1)	alinas) 2 = M	loderately Raise (c1)	d 3 = Pron	ninently Raise (c2)	ed (Great Lakes 6	59)
7. CORE:							
DIAMETER AT BASE OF HEAD	D : (a1)	2 9 mm	(c1)	2 2 mm	(c2)	22 mm	
RATIO OF HEAD DIAMETER/O	CORE DIAMETER:	14.8	(c1)	16 8	(c2)	16.4	
CORE HEIGHT FROM BASE O	F HEAD TO APEX:						
	(a1)	43 mm	(c1)	3 3 mm	(c2)	3 2 mm	**************************************
8. BOLTING: (Give First Water Date	: <u>[[5 67</u>	NOTE: FI	rst Water Date is can and often do	s the date seed fires equal the plan	st receives au ting date.	dequate moisture	to germinate. This
NUMBER OF DAYS FROM FIRST	WATER DATE TO	SEED STALK EME	RGENCE: (sum	mer conditions)			
14/07	(a1)	LOS	(c1)	100	(c2)	1117	
\ BOLTING CLASS:	1 = Very Slow 2 = Slow	3 = Medium 4 = Rapid	5 = Very Ra	pid			
	(a1)	3	(c1)	3	(c2)	2	
HEIGHT OF MATURE SEED STAI	K:						
ST-470-1 (04-05) designed by the Plant Variety	Protection Office using N	Actosoft Mani 2003.		//3/3		124	Page 4 of 9

10. <i>A</i>	ADAPTATION: (Continued)							
SEAS	SON:							
	2 Spring (Area WEST COAST SOU	TH WE	5T 2	Fall	(Area WEST	CGAST, SOUTH	I WES .	<u>r</u>)
	2 Summer (Area WEST COAST			Winter	(Area South	VEST		_)
1	GREENHOUSE: 0 = Not Test	ed	1 = Not Adapte	he	2 = Adapte	nd.		
	SOIL TYPE: 1 = Mineral	- Lu	2 = Organic	-u	3 = Both			
<u></u>	- J - WIRICIAN		Z ~ Organio		0 - 0081			
11. V	/IRAL DISEASES:							
1	1 = Immune 3 = Resistant 5 =	= Moder	rately Resistant/Mod	lerately Su	sceptible	7 = Susceptible		9 = Highly Susceptible
E	Big Vein	(a1)	0	(c1)	0	(c2)	0	0 = not tested
L	_ettuce Mosaic	(a1)		(c1)	7	(c2)		U = HUI IUSIEU
	Cucumber Mosaic	(a1)		(c1)	0	(c2)		
· 1	Fomato Bushy Stunt, cause of dieback	(a1)		(c1)	7	(c2)		
7	Furnip Mosaic	(a1)		(c1)	0	(c2)		
Ē	Beet Western Yellows	(a1)		(c1)	0	(c2)		
L	ettuce Infectious Yellows	(a1)		(c1)	0	(c2)		
c	Other (Specify)	(a1)		(c1)	0	(c2)		
	,					• **		
12. FI	UNGAL/BACTERIAL DISEASES:							
. 1	= Immune 3 = Resistant 5 =	Modera	ately Resistant/Mod	erately Su	sceptible 7	= Susceptible	:	9 = Highly Susceptible
	Corky Root Rot CA I	(a1))	0	(c1)	3	(c2)	3	0 = not fested
							_	02101 /211-0
	Powny Mildew Races: CA VII and VIII	· (a1)	3	(c1)	7	(c2)	7	
	owdery Mildew	 (a1)	0	(c1)	0	(c2)	0	
	clerotinia Drop	(a1)		(c1)		(c2)	0	
	acterial Soft Rot	(a1)	Ō	(c1)	Ö	(c2)	0	
	Seudomonas spp. and others)	. (01)		(01)		(02)		
В	otrytis (Grey Mold)	(a1)	0	(c1)	0	(c2)	0	
V	erticillium Wilt	(a1)	0	(c1)	0	(c2)	0	
В	acterial Leaf Spot	(a1)	0	(c1)	0	(c2)	0	
A	nthracnose	(a1)	0	(c1)	0	(c2)	0	
0	ther (Specify)	_ (a1)	0	(c1)	0	(c2)	0	
13. IN	SECTS:		,					
1	= Immune 3 = Resistant 5 =	Modera	itely Resistant/Mode	erately Sus	ceptible 7	= Susceptible	ç	9 = Highly Susceptible
		1	0		0		0	
	abbage Loopers	(a1)	0	(c1)	7	(c2)		0 = not tested
	oot Aphids	(a1)		(c1)	0	(c2)		
	reen Peach Aphid	(a1) l		(c1)		(c2)	0	
Le	ettuce Aphid	(a1)	0	(c1)	<u> </u>	(c2)		

	Pea Leafminer	(a1) 0	(c1) 0	(c2) 0	#20070016	0
	Other (Specify)	(a1) [<i>U</i>]	(c1) U	(c2) [U]	TEVVIVII	ø
14.	PHYSIOLOGICAL STRESSES:					
	1 = Immune 3 = Resistant	5 = Moderately Resistant/	Moderately Susceptible	7 = Susceptible	9 = Highly Susceptible	
	Tipbum	(a1) 0	(c1) <u>5</u>	(02) 3	0 = not feeted	
	Heat	(a1) 0	(c1) 5	(c2) <u>5</u>	•	
	Drought	(a1) 0	(c1) 0	(c2) O		
	Cold	(a1) 0	(c1) 5	(c2) <u>7</u>		
	Salt	(a1) 0	(c1) O	(c2) O		
•	Brown Rib (Rib Discoloration, Rib Blight)	(a1) O	(c1) 3	(c2) 3		
	Other (Specify)	(a1)	(c1)	(c2)		
15.	POST HARVEST STRESS:					
	1 = Immune 3 = Resistant	5 = Moderately Resistant/N	Moderately Susceptible	7 = Susceptible	9 = Highly Susceptible	
	Pink Rib	(a1) 0	(c1) 3	(c2) 3	0= not tested	
	Russet Spotting	(a1) <u>0</u>	(c1) 3	(c2) 3	• . • . • . •	
	Rusty Brown Discoloration	(a1) <u>0</u>	(c1) 3	(c2) 3		
	Internal Rib Necrosis (Blackheart, Grey Rib, Grey Streak)	(a1) O	(c1) 3	(c2) 3		
-	Brown Stain	(a1) 0	(c1) 3	(c2) 3		
	· . · . · . · . · . · . · . · . · .					

16. BIOCHEMICAL OR ELECTROPHORETIC MARKERS:

17. COMMENTS:

#200700165

SUGGESTED CHECK VARIETIES

1 Cutting/Leaf
2 Butterhead
3 Bibb
4 Cos or Romain
5 Great Lakes Group
6 Vanguard Group
7 Salinas Group

Eastern Group

Stem

Latin

8

10

CHECK VARIETY
Waldmann's Green
Dark Green Boston
Bibb
Parris Island
Great Lakes 659-700
Vanguard
Salinas
Ithaca
Cettuce
Little Gem

REFERENCES

Bowring, J.D.C., 1969, "The Identification of Varieties of Lettuce (Lactuce Sativa L.)". Journal of the National Institute of Agricultural Botany 11:499-520. National Institute of Agricultural Botany, Cambridge, UK.

Davis, R.M., K.V. Subbarao, R.N. Raid, and E.A. Kurtz, 1997. "Compendium of Lettuce Diseases". APS Press, St. Paul, MN.

Michelmore, R.W., J. M. Norwood, D.S. Ingram, I.R. Crute and P. Nicholson. 1984. "The interitance of virulence in Bremia lactucae to match resistance factors 3, 4, 5, 6, 8, 9, 10, and 11 in lettuce (Lactuca sativa)", Plant Pathology 32:176-177.

Norwood, J.M., R.W. Michelmore, I.R. Crute and D.S. Ingram. 1983. "The inheritance of specific virulence of Bremia lactucae (Downy Mildew) to match R-factors 1, 2, 4, 6, and 11 in lettuce (Lactuca sativa)". Plant Pathology 32:176-177.

Rodenburg, C.M., et al., 1960. "Varieties of Lettuce. An International Monograph", Instituut voor de Verdeling van Tuinbouwgewassen (IVT), Wageningen, NL.

Ryder, E.J., 1999, Lettuce, Endive, and Chicory, CABI Publications, Wallingford, UK.

Exhibit C – Lettony Pictures




Exhibit C – Lettony Pictures




Exhibit C – Lettony Pictures




Exhibit C - Lettony Pictures




Exhibit C - Lettony Pictures




Exhibit C – Lettony Pictures





Exhibit C – Lettony Pictures



- Lettony Bolting measurements

Location Enza Zaden, San Juan Bautista, California

sowing: 1/5/07

transplant: 2/16//07

Plt#	#Da	ys Seed Sta	alk Emergence	Heig	ht Mature S	eed Stalk (cm)	Sp	read of Bolt	er Plant (cm)
	Lettony	Tropicana	Bergam's Green	Lettony	Lettony Tropicana Bergam's Green		Lettony	Tropicana	Bergam's Green
1	102	101	130	113.4	117.4	153.8	28.6	32.5	29.2
2	106	101	128	134.3	135.4	141.7	27.5	27.2	30.3
3	106	105	123	138.4	126.1	140.4	32.3	28.7	28.7
4	107	101	110	70.2	150.4	131.6	20.0	33.3	29.6
	102	98	123	130.4	117.1	121.8	26.8	25.3	31.3
€	106	101	113	117.4	153.2	125.4	25.4	34.2	31.2
7	98	98	115	126.3	120.4	108.3	25.7	48.2	24.2
8	107	98	-	143.2	166.1	-	28.4	36.1	-
g	102	97	121	130.7	107.8	122.7	36.1	33.2	35.4
10	108	97	110	150.4	107.4	116.9	43.3	28.2	36.2
11	108	101	107	121.2	126.1	118.4	33.8	26.2	29.3
12	108	101	120	141.5	152.8	104.8	32.1	38.4	24.9
13	102	104	108	118.7	132.1	106.2	29.7	28.0	31.8
14	102	101	108	110.2	146.6	116.2	20.4	37.8	38.4
15	107	101	-	112.6	134.1	-	26.2	43.7	-
Mean	105	100	117	123.9	132.9	123.7	29.1	33.4	30.8
St Dev	3.1	2.4	8.0	19.2	17.8	14.7	5.9	6.6	4.1

Location Enza Zaden, San Juan Bautista, California

sowing: 2/6/07 (direct)

Plt#		#Da	ys Seed Sta	alk Emergence	Heigh	t Mature S	eed Stalk (cm)	Sp	read of Bolt	er Plant (cm)
		Lettony	Tropicana	Bergam's Green	Lettony	Tropicana	Bergam's Green	Lettony	Tropicana	Bergam's Green
	1	134	113	-	136.8	110.6		26.5	27.5	-
	2	133	118	144	160.771	. 5	-	30.7	20.4	-
	3	138	122	144	83.2	143.6	-	14.4	39.4	-
	. 4	137	110	136	112.280	. 7	-	22.4	27.2	-
	5	128	113	142	68.5	-	-	14.6	-	-
	6	134	113	-	140.799	. 8	-	25.9	32.7	-
	7	133	114	-	82.4	102.1	-	19.9	38.6	-
	8	133	117	142	136.9	-	-	23.4	-	-
	9	128	109	-	123.492	. 1	-	26.3	25.6	-
	10	134	113	136	142.1	118.4	-	31.3	32.4	-
	11	128	112	144	129.6	-	-	23.7	-	-
	12	122	113	-	112.181	. 6	-	15.2	23.6	-
	13	128	1 13	-	106.4	112,4	-	28.9	37.6	-
	14	134	118	-	110.8	-	-	14.6	-	-
	15	137	119		126.5	110.2	-	23.2	37.9	-
Mean		132	114	141	118	102	-	23	31	-
St.Dev		4.4	3.6	3.6	25.4	20.4	-	5.9	6.7	-

Seedling measurements at 4th leaf stage: Lettony, Tropicana, Bergam's Green

		Lettony			Tropicana			Bergams Greer	1
Pit#	Length (cm)	Width (cm)	ratio (l/w*10)	Length (cm)	Width (cm)	ratio (I/w*10)	Length (cm)	Width (cm)	ratio (l/w*10)
. 1	11.5	5.0	23.0	10.0	5.5	18.2	11.3	6.0	18.8
2	9.7	4.8	20.2	11.5	5.6	20.5	10.3	5.4	19.1
3	10.6	4.5	23.6	11.5	6.0	19.2	11.3	6.0	18.8
4	10.9	5.7	19.1	10.4	5.5	18.9	10.5	5.0	.21.0
5	11.6	5.5	21.1	11.5	6.5	17.7	10.6	6.0	17.7
6	11.4	4.8	23.8	11.5	5.5	20.9	10.9	6.3	17.3
7	7.3	4.1	17.8	12.0	6.0	20.0	10.9	5.5	19.8
8	10.5	4.5	23.3	11.6	6.2	18.7	9.5	5.0	19.0
9	12.0	5.2	23.1	11.5	6.1	18.9	10.0	5.0	20.0
10	10.0	5.0	20.0	10.4	5.4	19.3	11.0	5.7	19.3
11	10.5	4.7	22.3	11.5	5.6	20.5	9.0	5.1	17.6
12	10.1	4.1	24.6	12.0	5.8	20.7	10.9	5.6	19.5
13	9.5	4.5	21.1	9.2	4.5	20.4	11.8	5.8	20.3
14	9.3	4.5	20.7	10.2	6.1	16.7	10.8	5.7	18.9
15	8.9	4.0	22.3	9.3	5.2	17.9	11.1	5.6	19.8
16	9.0	4.2	21.4	11.5	5.8	19.8	10.6	6.0	17.7
17	11.5	4.6	25.0	-	-	-	12.5	6.2	20.2
18	9.6	4.0	24.0	-	-	-	9.8	5.0	19.6
19	10.5	4.2	25.0	- [-	-	11.9	6.5	18.3
20	8.5	4.2	20.2			<u> </u>	9.3	5.7	16.3
Mean	10.1	4.6	22.1	11.0	5.7	19.3	10.7	5.7	19.0

- Lettony Complete Data Set: Lettony, Tropicana, Bergam's Green

SJB1 SJB2 San Juan Bautista, California, REP 1

San Juan Bautista, California, REP 2

sowing: 08/31/06 idem

transplant: 10/04/06

idem

evaluation: 11/29/06

idem

2.9

2.6

3.5

Trial	Plt#	Sprea	ad of Frame Le	aves (cm)		Weight (gran	ns)		Plant Diameter	(cm)
		Lettony	Tropicana	Bergams Green	Lettony	Tropicana	Bergams Green	Lettony	Tropicana	Bergams Green
SJB1	1	53.0	44.2	43.9	650.0	367.6	375.1	49.6	37.3	37.8
SJB1	2	53.4	46.9	38.9	622.2	325.0	200.8	48.0	38.0	32.8
SJB1	3	56.6	42.4	42.3	643.2	199.6	236.7	44.1	35.6	35.4
SJB1	4	53.8	43.9	43.8	601.7	248.6	277.1	44.2	36.9	36.9
SJB1	5	54.9	41.1	41.6	525.6	267.2	236.5	42.9	35.2	35.9
SJB1	6	53.9	40.9	41.8	544.0	236.4	288.7	41.5	30.0	37.4
SJB1	7	55.0	45.8	45.5	581.9	344.2	397.6	44.0	37.3	40.2
SJB1	8	50.5	44.2	41.8	479.0	250.3	358.6	42.1	32.9	38.2
SJB1	9	56.3	42.9	43.6	633.4	309.3	298.1	53.1	36.5	37.7
SJB1	10	49.8	45.2	41.8	520.0	280.8	337.7	36.7	39.3	39.1
SJB1	11	52.0	41.2	40.5	580.8	219.2	290.5	40.7	35.7	35.9
SJB1	12	48.3	43.0	44.2	543.3	309.0	302.5	47.2	39.3	36.4
SJB1	13	52.5	44.9	40.5	510.0	295.0	269.6	41.1	36.9	37.2
SJB1	14	50.8	46.5	39.3	444.1	229.8	271.6	40.9	33.5	35.7
SJB1	15	54.0	46.2	40.7	536.2	307.8	192.9	40.5	37.0	34.4
SJB1	16	58.7	46.9	41.5	733.3	425.8	.314.4	48.2	41.3	37.1
SJB1	17	54.7	45.1	40.2	575.2	381.3	324.8	42.8	42.2	24.8
SJB1	18	60.2	46.9	44.8	425.7	332.5	324.3	40.0	40.3	36.5
SJB1	19	60.0	51.1	40.7	560.1	483.1	234.4	42.3	43.2	35.8
SJB1	20	57.5	49.7	45.4	494.7	342.4	345.0	41.6	38.8	36.3
SJB2	1	55.0	46.2	41.4	527.3	350.0	336.1	40.1	37.4	36.3
SJB2	2	57.4	43.2	44.3	524.0	300.0	304.2	38.0	36.3	36.8
SJB2	3	57.0	41.9	40.5	526.8	334.8	282.6	40.4	33.2	34.4
SJB2	4	53.3	44.8	39.4	576.3	313.1	291.7	44.8	36.2	36.6
SJB2	5	56.0	47.1	41.9	722.5	436.6	399.3	44.0	42.0	34.2
SJB2	6	59.2	48.5	42.2	661.0	389.2	317.2	44.3	39.0	38.0
SJB2	7	54.9	44.7	41.7	566.4	265.6	246.3	40.6	35.9	34.2
SJB2	8	51.2	43.9	38.2	470.5	315.5	266.9	37.4	36.5	34.1
SJB2	9	54.2	43.0	41.4	623.4	338.1	307.4	42.6	37.1	35.4
SJB2	10	55.7	47.9	40.0	681.5	332.0	274.1	42.6	40.8	35.2
SJB2	11	53.8	46.8	42.3	410.6	332.2	334.6	43.2	38.0	37.8
SJB2	12	54.7	46.6	42.2	619.6	406.1	256.9	42.0	39.2	35.3
SJB2	13	59.8	46.8	42.8	625.0	393.7	272.8	47.5	38.8	33.2
SJB2	14	48.5	43.2	37.7	347.5	254.2	210.0	38.8	35.8	31.6
SJB2	15	47.5	42.5	42.7	433.2	320.4	289.0	42.0	34.4	34.9
SJB2	16	56.4	40.5	38.1	588.4	290.8	289.7	40.0	36.7	37.8
SJB2	17	54.6	46.4	42.8	492.9	353.4	380.0	45.2	38.6	35.6
SJB2	18	56.2	43.0	35.6	600.0	312.7	241.4	39.0	37.3	31.3
SJB2	19	54.1	43.0	43.9	569.5	273.7	339.5	44.5	29.8	34.0
SJB2	20	47.4	48.8	41.0	393.8	373.2	247.7	37.3	39.8	35.1
Mean SJ		54.3	45.0	42.1	560.2	307.7	293.8	43.6	37.4	36.1
St.Dev.		3.3	2.7	2.0	74.6	71.5	55.6	3.9	3.2	3.1
Mean SJ		54.3	44.9	41.0	548.0	334.3	294.4	41.7	37.1	35.1
St.Dev.S		3.4	2.4	2.2	100.1	47.9	47.1	2.9	2.7	1.8
Mean SJ		54.3	44.9	41.6	554.1	321.0	294.1	42.6	37.3	35.6
- P I IAN C	التانين				074					

2.2

87.4

61.6

50.9



St.Dev SJB1+2

3.3

2.5

- Lettony Complete Data Set: Lettony, Tropicana, Bergam's Green

SJB1 SJB2

St.Dev SJB1+2

2.2

San Juan Bautista, California, REP 1 San Juan Bautista, California, REP 2

sowing: 08/31/06 idem

transplant: 10/04/06

idem

evaluation: 11/29/06

idem

Trial	Plt#	1	Plant Height ((cm)		Width Leaf (d	rm)	·	Length Leaf (cm)
,			,	,,		Width Loan (51117	• .	Longer Loar (Citi)
		Lettony	Tropicana	Bergams Green	Lettony	Tropicana	Bergams Green	Lettony	Tropicana	Bergams Green
SJB1	1		34.0	23.4	28.4	19.8	22.5	27.2	20.5	19.9
SJB1	2		24.2	21.2	26.1	22.4	18.8	29.0	25.0	19.9
SJB1	3	1	22.8	23.7	24.3	20.0	19.4	29.7	21.5	21.3
SJB1	4	1	21.3	21.9	22.7	21.8	22.8	25.2	24.9	22.4
SJB1	5	1	23.1	20.2	20.6	21.4	18.9	26.1	23.2	21.2
SJB1	6	1	20.4	22.2	24.3	21.0	22.7	27.6	20.0	22.4
SJB1	7		23.9	24.5	2 4 .1	24.3	21.5	27.2	24.0	23.3
SJB1	8	1	23.5	19.6	25.2	20.4	19.8	25.8	21.9	28.9
SJB1	9	į.	21.9	19.2	27.7	20.9	19.8	25.1	21.3	20.9
SJB1	10		23.9	25.6	25.0	21.9	19.7	25.2	23.9	23.5
SJB1	11		22.4	22.0	22.5	20.9	22.5	25.8	21.0	22.3
SJB1	12		23.2	21.2	25.1	20.5	18.4	27.0	22.8	21.3
SJB1	13	1	22.9	19.2	24.7	19.9	20.7	25.4	22.8	22.3
SJB1	14		25.2	30.4	23.0	19.0	19.7	23.8	22.1	20.4
SJB1	15	29.0	24.0	20.8	24.8	24.2	19.4	26.7	25.0	21.2
SJB1	16		22.3	24.8	25.9	21.4	19.6	28.5	22.2	20.2
SJB1	17	29.4	23.5	23.4	25.7	22.1	20.8	26.7	24.8	22.4
SJB1	18	32.2	24.1	23.7	25.0	21.8	22.4	27.5	24.5	23.9
SJB1	19	33.6	25.9	23.4	27.3	24.0	18.9	30.8	25.0	20.8
SJB1	20	32.9	22.9	26.0	27.2	21.3	19.7	27.4	23.9	23.4
SJB2	1	32.1	24.6	22.9	21.7	23.9	19.5	27.0	23.7	20.8
SJB2	2	28.1	25.8	22.8	27.8	31.2	20.7	27.9	33.1	20.4
SJB2	3	28.5	24.9	22.9	23.1	20.5	20.7	24.8	21.8	20.8
SJB2	4	28.5	25.3	21.0	22.6	31.3	22.3	23.0	31.4	20.7
SJB2	5	33.8	26.5	19.8	26.8	20.2	19.0	27.0	23.3	21.3
SJB2	6	32.1	23.3	19.9	25.0	23.6	19.2	28.3	22.4	21.5
SJB2	7	30.3	22.0	22.8	24.8	21.0	19.8	28.0	22.4	20.5
SJB2	8	29.0	23.0	21.7	21.6	20.9	20.8	25.8	23.3	20.6
SJB2	9	30.8	22.7	23.2	25.3	22.5	22.0	27.9	22.7	21.2
SJB2	10	33.0	23.3	20.4	27.0	21.7	21.5	29.0	23.2	20.6
SJB2	11	27.7	20.9	22.4	22.5	22.9	23.5	25.5	22.3	21.2
SJB2	12	31.5	23.8	23.8	22.7	21.5	22.3	25.4	23.5	22.2
SJB2	13	34.1	24.7	21.9	26.0	21.9	18.3	26.8	24.8	18.2
SJB2	14	28.0	21.7	21.7	23.7	19.8	18.5	24.1	21.6	19.4
SJB2	15	25.0	24.0	20.9	22.8	21.9	20.3	23.1	23.8	19.7
SJB2	16	31.2	22.5	23.5	25.1	21.5	20.0	27.0	22.7	21.0
SJB2	17	29.0	24.4	25.4	23.9	22.6	20.9	24.3	21.5	21.2
SJB2	18	31.8	21.9	17.0	27.2	21.2	18.2	28.5	23.9	18.9
SJB2	19	29.7	22.4	24.0	25.5	20.9	17.8	25.1	22 .7	19.9
SJB2	20	25.0	25.3	20.7	23.4	23.2	18.8	23.8	24.8	20.2
Mean S.	B1 T	30.6	23.8	22.0	25.0	24.5	20.4		00.0	00.4
St.Dev. S		1.7	23.8 2.7	22.8 2.7	25.0	21.5	20.4	26.9	23.0	22.1
Mean SJ		30.0	23.7	21.9	1.9	1.5	1.5	1.7	1.6	2.0
St.Dev.S		2.6	23.7 1.5	1.9	24.4	22.7	20.2	26.1	23.9	20.5
Mean SJ		30.3	23.7	22.4	1.9	3.1	1.6	1.9	3.0	0.9
1		00.0	20.1	44.4	24.7	22.1	20.3	26.5	23.5	21.3

1.9

2.5

1.5

1.8

2.4

- Lettony
Complete Data Set: Lettony, Tropicana, Bergam's Green

SJB1 SJB2

San Juan Bautista, California, REP 1 San Juan Bautista, California, REP 2 sowing: 08/31/06 idem

transplant: 10/04/06

idem

evaluation: 11/29/06

idem

Trial	Plt#		Core Height (r	Core Diameter (mm)				
	-	Lettony	Tropicana	Bergams Green	Lettony	Tropicana	Bergams (
SJB1	1	45.5	37.3	39.9	28.0	18.7	24.1	
SJB1	l 2	41.6	35.1	26.3	31.2	24.8	17 1	

	1			•			
		Lettony	Tropicana	Bergams Green	Lettony	Tropicana	Bergams Green
SJB1	1		37.3	39.9	28.0	18.7	24.1
SJB1	2		35.1	26.3	31.2	24.8	17.1
SJB1	3		21.9	30.2	30.0	19.5	19.7
SJB1	4		28.4	31.9	28.2	19.6	24.2 ·
SJB1	5		30.9	26.3	25.8	19.3	19.2
SJB1	6		30.0	24.5	29.4	21.8	26.1
SJB1	7		38.9	34.1	30.8	22.3	23.8
SJB1	8		28.0	25.3	27.2	19.7	24.4
SJB1	9	51.8	33.9	23.7	30.5	19.8	21.2
SJB1	10	40.8	31.1	34.1	27.8	22.9	26.2
SJB1	11	42.0	25.2	28.1	√31.4	26.1	27.6
SJB1	12	44.7	25.9	32.8	27.7	22.8	24.1
SJB1	13	41.5	34.0	30.6	27.1	21.3	20.8
SJB1	14	43.9	26.1	31.5	26.2	27.4	23.8
SJB1	15	42.7	34.0	22.8	28.0	27.3	23.1
SJB1	16	49.2	42 .1	41.3	30.5	19.6	24.2
SJB1	17	40.2	37.4	39.7	29.4	19.6	21.3
SJB1	18	41.5	26.1	31.4	24.4	27.3	26.2
SJB1	19	45.4	43.4	34.5	26.5	19.8	19.8
SJB1	20	42.2	32.6	44.7	26.7	20.4	20.1
SJB2	1	42.0	30.0	37.8	27.8	19.4	19.3
SJB2	2	40.7	33.1	32.1	30.2	23.3	19.7
SJB2	3	43.2	32.1	33.8	26.3	18.2	20.0
SJB2	4	44.5	29.3	27.8	27.8	20.4	22.1
SJB2	5	50.5	47.4	28.1	31.0	24.5	27.2
SJB2	6	46.4	37.3	34.1	30.9	24.3	20.2
SJB2	7	47.0	27.6	33.2	29.4	21.8	20.8
SJB2	. 8	38.9	29.9	31.2	27.2	23.1	20.0
SJB2	9	44.6	32.0	33.9	29.9	20.8	22.8
SJB2	10	48.9	31.9	29.8	31.1	28.1	22.1
SJB2	11	38.5	38.7	34.5	26.0	22.1	21.2
SJB2	12	45.0	37.6	28.7	28.0	21.2	24.3
SJB2	13	49.5	42.4	41.3	29.4	22.3	19.4
SJB2	14	39.8	32.1	30.8	25.2	22.5	19.4
SJB2	15	39.9	31.4	31.3	28.6	17.5	24.2
SJB2	16	46.2	30.0	32.2	30.2	20.6	21.6
SJB2	17	41.5	36.8	37.4	28.7	25.1	21.5
SJB2	18	47.0	35.2	32.1	30.9	19.6	18.0
SJB2	19	38.0	33.1	38.8	30.8	21.6	21.0
SJB2	20	34.5	37.5	24.1	25.8	19.4	19.2

Mean SJB1	43.3	32.1	31.7	28.3	22.0	22.9
St.Dev. SJB1	3.0	5.8	6.2	2.0	3.0	2.8
Mean SJB2	43.3	34.3	32.7	28.8	21.8	21.2
St.Dev.SJB2	4.3	4.9	4.1	1.9	2.5	2.2
Mean SJB1+2	43.3	33.2	32.2	28.6	21.9	22.0
St.Dev SJB1+2	3.7	5.4	5.2	1.9	2.7	2.6

- Lettony

Statistical analysis: Lettony vs Tropicana

SJB1

San Juan Bautista, California, REP 1

sowing: 08/31/06

transplant: 10/04/06 evaluation: 11/29/06

SJB2

n =20, F(.05) = 3.97, F(.01) = 6.98 San Juan Bautista, California, REP 2

idem

idem

idem

Trial:			S	JB 1	Sc	IB 2
			Lettony	Tropicana	Lettony	Tropicana
Spread of Frame I	_eaves (cm):					
Mean			54.3	45.0	54.3	44.9
Std Dev.			3.3	2.7	3.4	2.4
ANOVA (F calc.):	Rep	= 0.001				
	Var	= 198.9 **				•
	Rep x Var	= 0.002				
Weight (grams):						
Mean			560.2	307.7	548.0	334.3
Std Dev.			74.6	71.5	100.1	47.9
ANOVA (F calc.):	Rep	= 0.18				
, ,,,	Var	= 189.0 **				
	Rep x Var					
Plant Diameter (cn						
Mean			43.6	37.4	41.7	37.1
Std Dev.			3.9	3.2	2.9	2.7
ANOVA (F caic.):	Rep	= 2.13	0.0	J.2	2.0	
ratovn (i calo.).	Var	= 57.2 **				
	Rep x Var					
Plant Height (cm):	Uch y Agi	- 1.32				
Mean			30.6	23.8	30.0	23.7
Std Dev.					2.6	1.5
	D	0.00	1.7	2.7	2.0	1.0
ANOVA (F calc.):	Rep	= 0.62			•	
	Var	= 179.9 **			,	
140111 27 3	Rep x Var	= 0.29				
Width Leaf (cm):		-				
Mean			25.0	21.5	24.4	22.7
Std Dev.		•	1.9	1.5	1.9	3.1
ANOVA (F calc.):	Rep	= 0.52				
	Var	= 28.9 **				
•	Rep x Var	= 3.46				
Length Leaf (cm):						
Mean			26.9	23.0	26.1	23.9
Std Dev.			1.7	1.6	1.9	3.0
ANOVA (F calc.):	Rep	= 0.03				
	Var	= 40.3 **				
	Rep x Var	= 3.19				
Core Height (mm):						
<i>l</i> lean			43.3	32.1	43.3	34.3
Std Dev.			3.0	5.8	4.3	4.9
NOVA (F calc.):	Rep	= 1.09				
	Var	= 95.8 **				
	Rep x Var					
Core Diameter (mm						
<i>l</i> lean	<u></u>		28.3	22.0	28.8	21.8
Std Dev.			2.0	3.0	1.9	2.5
NOVA (F calc.):	Rep	= 0.04	2.0	3.0	1.0	2.0
arovin (alo.).	Var	= 154.0 **				
	Rep x Var					

^{* =} significant different at .05 prob level, ** = significant different at .01 prob level

- Lettony Statistical analysis: Lettony vs Bergam's Green

idem

SJB1

San Juan Bautista, California, REP 1

sowing: 08/31/06

transplant: 10/04/06 evaluation: 11/29/06

SJB2

n =20, F(.05) = 3.97, F(.01) = 6.98 San Juan Bautista, California, REP 2

idem

idem

idem

Lettony Bergams Green Lettony Lettony Statistics Lettony Letto	Trial:				SJB 1		SJB 2
Spread of Frame Leaves (cm): Mean							Bergams Green
Std Dev. 3.3 2.0 3.4 ANOVA (F calc.): Rep = 0.75		Leaves (cm	<u>):</u>				
ANOVA (F calc.): Rep = 0.75				54.3	42 .1	54.3	41.0
Var				3.3	2.0	3.4	2.2
Rep x Var = 0.90 Weight (grams): Mean 560.2 293.8 548.0 1 1 1 1 1 1 1 1 1	ANOVA (F calc.):	Rep	= 0.75				
Weight (grams): 560.2 293.8 548.0 Mean 560.2 293.8 548.0 Std Dev. 74.6 55.6 100.1 ANOVA (F calc.): Rep = 0.13 258.7 *** Rep x Var = 0.16 43.6 36.1 41.7 Plant Diameter (cm): Wean 3.9 3.1 2.9 NANOVA (F calc.): Rep = 4.47 * Var = 110.1 *** 2.9 NANOVA (F calc.): Rep = 4.47 * 2.8 30.0 Std Dev. 30.6 22.8 30.0 Std Dev. 30.6 22.8 30.0 NOVA (F calc.): Rep = 2.32 Var = 245.7 *** 2.7 2.6 Vidth Leaf (cm): Mean 25.0 20.4 24.4 24.4 NOVA (F calc.): Rep = 0.95 20.4 24.4 24.4 24.4 NOVA (F calc.): Rep = 0.95 20.4 24.4		Var	= 415.6 **				,
Mean 560.2 293.8 548.0 2 Std Dev. 74.6 55.6 100.1 ANOVA (F calc.): Rep = 0.13		Rep x Va	r = 0.90				
Std Dev. 74.6 55.6 100.1 ANOVA (F calc.): Rep = 0.13	Weight (grams):						
ANOVA (F calc.): Rep = 0.13	Mean			560.2	293.8	548.0	294.4
Var = 258.7 ** Rep x Var = 0.16				74.6	55.6	100.1	47.1
Rep x Var = 0.16	ANOVA (F calc.):	Rep	= 0.13				
Plant Diameter (cm): Mean		Var	= 258.7 **				
Mean		Rep x Var	r = 0.16				
Std Dev. 3.9 3.1 2.9 ANOVA (F calc.): Rep = 4.47*	Plant Diameter (cn	n):					
Std Dev. 3.9 3.1 2.9 ANOVA (F calc.): Rep = 4.47 * Var = 110.1 *** Rep x Var = 0.42 Plant Height (cm): Mean 30.6 22.8 30.0 Std Dev. 1.7 2.7 2.6 ANOVA (F calc.): Rep = 2.32				43.6	36.1	41.7	35.1
ANOVA (F calc.): Rep = 4.47 * Var = 110.1 *** Rep x Var = 0.42 Plant Height (cm): Mean				3.9	3.1		1.8
Rep x Var = 0.42	ANOVA (F calc.):	Rep					-
Plant Height (cm): Mean 30.6 22.8 30.0 Std Dev. 1.7 2.7 2.6 ANOVA (F calc.): Rep = 2.32		Var	= 110.1 **				
Mean 30.6 22.8 30.0 Std Dev.		Rep x Var			,		
Std Dev. 1.7 2.7 2.6 ANOVA (F calc.): Rep = 2.32	Plant Height (cm):						
ANOVA (F calc.): Rep = 2.32	<i>l</i> lean			30.6	22.8	30.0	21.9
ANOVA (F calc.): Rep = 2.32	Std Dev.			1.7	2.7	2.6	1.9
Rep x Var = 0.05 Nidth Leaf (cm):	NOVA (F calc.):	Rep	= 2.32				•
Width Leaf (cm): 25.0 20.4 24.4 Std Dev. 1.9 1.5 1.9 ANOVA (F calc.): Rep = 0.95 Var = 130.6 ** Rep x Var = 0.22 22.1 26.1 Mean 26.9 22.1 26.1 Std Dev. 1.7 2.0 1.9 NOVA (F calc.): Rep = 9.72 ** Var = 190.0 ** Rep x Var = 1.15 43.3 31.7 43.3 Std Dev. 3.0 6.2 4.3 NOVA (F calc.): Rep = 0.23 Var = 120.3 ** Rep x Var = 0.22 4.3		Var	= 245.7 **		•		
Width Leaf (cm): 25.0 20.4 24.4 Std Dev. 1.9 1.5 1.9 NOVA (F calc.): Rep = 0.95 20.4 24.4 1.9 NOVA (F calc.): Rep = 0.95 20.0 1.9 26.1		Rep x Var	= 0.05				
Std Dev. 1.9 1.5 1.9 ANOVA (F calc.): Rep = 0.95	Vidth Leaf (cm):						
Std Dev. ANOVA (F calc.): Rep = 0.95	/lean			25.0	20.4	24.4	20.2
ANOVA (F calc.): Rep = 0.95	itd Dev.						
Var = 130.6 ** Rep x Var = 0.22 Length Leaf (cm): Mean	NOVA (F calc.):	Rep	= 0.95			5	,,,•
Length Leaf (cm): Mean 26.9 22.1 26.1 26.1 27.1 27.1 27.1 27.1 27.1 27.1 27.1 27		-	= 130.6 **				
Length Leaf (cm): Alean 26.9 22.1 26.1 26.1 26.1 26.1 26.1 26.1 26.1		Rep x Var					
Mean 26.9 22.1 26.1 26.1 26.1 26.1 26.1 26.1 26.1	ength Leaf (cm):						
1.7 2.0 1.9 NOVA (F calc.): Rep = 9.72 ** Var = 190.0 ** Rep x Var = 1.15 Core Heigth (mm): flean 43.3 31.7 43.3 Std Dev. 3.0 6.2 4.3 NOVA (F calc.): Rep = 0.23 Var = 120.3 ** Rep x Var = 0.22				26.9	22.1	26.1	20.5
NOVA (F calc.): Rep = 9.72 **	td Dev.						0.9
Var = 190.0 ** Rep x Var = 1.15 Core Heigth (mm): dean 43.3 31.7 43.3 3 std Dev. 3.0 6.2 4.3 NOVA (F calc.): Rep = 0.23 4.3 Var = 120.3 ** Rep x Var = 0.22		Rep	= 9.72 **			1.5	0.5
Rep x Var = 1.15 Core Heigth (mm): Mean	. ,	-					
Core Heigth (mm): Mean 43.3 31.7 43.3 3 Std Dev. 3.0 6.2 4.3 NOVA (F calc.): Rep = 0.23 Var = 120.3 ** Rep x Var = 0.22	•						
flean 43.3 31.7	ore Heigth (mm):						
td Dev. 3.0 6.2 4.3 NOVA (F calc.): Rep = 0.23 Var = 120.3 ** Rep x Var = 0.22				43.3	31.7	43.3	32.7
NOVA (F calc.): Rep = 0.23 Var = 120.3 ** Rep x Var = 0.22	td Dev.						4.1
Var = 120.3 ** Rep x Var = 0.22		Rep	= 0.23		V-m	7.0	7.1
Rep x Var = 0.22	·,·	-					
	ore Diameter (mm						
ean 28.3 22.9 28.8 2		_		28.3	22.9	28.8	21.2
							2.2
NOVA (F calc.): Rep = 1.50		Rep	= 1.50		2.0	1.5	۷.۷
Var = 168.9 **							
Rep x Var = 4.25							

^{* =} significant different at .05 prob level, ** = significant different at .01 prob level

REPRODUCE LOCALLY. Include form number and edition date on a	ull reproductions.	ORM APPROVED - OMB No. 0581-005
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE EXHIBIT E STATEMENT OF THE PASIS OF CAMERILID	Application is required in order to detricertificate is to be issued (7 U.S.C. 2-confidential until the certificate is issued	121). The information is held
STATEMENT OF THE BASIS OF OWNERSHIP 1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION	3. VARIETY NAME
ENZA ZADEN BEHEER B.V.	OR EXPERIMENTAL NUMBER	LETTONY
4 ADDRESS (A	E15.0145	
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. TELEPHONE (Include area code)	6. FAX (include area code)
P.O. BOX 7, 1600 AA ENKHUIZEN	+31.228,315.844	+31.228.315.854
HALING 1º, 1602 DB ENKHUIZEN	7. PVPO NUMBER -	
NETHERLANDS	# 2	200700165
8. Does the applicant own all rights to the variety? Mark an "X" in the	ne appropriate block. If no, please expla	In. YES NO
9. Is the applicant (individual or company) a U.S. national or a U.S.	based company? If no, give name of co	ountry. YES NO
NETHERLANDS		
10. Is the applicant the original owner?	NO If no, please answer one	of the following:
a. If the original rights to variety were owned by individual(s), is	(are) the original owner(s) a U.S. National NO If no, give name of count	
b. If the original rights to variety were owned by a company(ies) YES 11. Additional explanation on ownership (Trace ownership from original rights)	NO If no, give name of countr	y
The American Explanation of Generally (Trace Deficiently from Only)	mai bioodei (O burgin Diving). Voe me re	velet ин тим ораст и петиту.
		•
PLEASE NOTE:		
Plant variety protection can only be afforded to the owners (not licens		
 If the rights to the variety are owned by the original breeder, that p national of a country which affords similar protection to nationals o 	person must be a U.S. national, national of the U.S. for the same genus and species.	of a UPOV member country, or ess.
If the rights to the variety are owned by the company which employnationals of a UPOV member country, or owned by nationals of a genus and species.	yed the original breeder(s), the company country which affords similar protection to	must be U.S. based, owned by o nationals of the U.S. for the same
3. If the applicant is an owner who is not the original owner, both the	original owner and the applicant must me	eet one of the above criteria.
The original breeder/owner may be the individual or company who di Act for definitions.	rected the final breeding. See Section 4	1(a)(2) of the Plant Variety Protection
According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, control number. The valid OMB control number for this information collection is 0581-0055, including the time for reviewing the instructions, searching existing data sources, gethering or	The time required to complete this information collect	ion is estimated to average 0.1 hour per response,
The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and a manital or family status, political beliefs, parental status, or protected genetic information. (Ne communication of program information (Braillo, large print, audiotaps, etc.) should contact U	iot all prohibited bases apply to all programs.) Person	s with disabilities who require alternative means for

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5984 (voice and TDD). USDA is an equal opportunity provide and employer.

REPRODUCE LOCALLY. Include form number and date on all reproductions.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of Information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 5 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD), USDA is an equal opportunity provider and employer.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MD 20705

EXHIBIT F

NAME OF OWNER (S)	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country) P.O. BOX 7, 1600 AA ENKHUIZEN	TEMPORARY OR EXPERIMENTAL DESIGNATION E15.0145	
ENZA ZADEN BEHEER B.V.	HALING 15, 1602 DB ENKHUIZEN THE NETHERLANDS	VARIETY NAME LETTONY	
NAME OF OWNER REPRESENTATIVE (S) AERNOUDT AARDSE FNCA ZADEN RESEARCH USA, HIC	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country)	PVPO NUMBER #20070016	

I do hereby declare that during the life of the certificate a viable sample of propagating material of the subject variety will be deposited, and replenished as needed periodically, in a public repository in the United States in accordance with the regulations established by the Plant Variety Protection Office.

Signature

02/26/2007

Date